



MTK UGANDA LIMITED



POULTRY RANGE

NO.	Brand Name	Active Ingredient	Pack sizes	Range of animals	Indications	Dosage
01.	ASHIDOX-N®	Doxycycline and Neomycin powder	100gms	Poultry, Cattle, Goats, sheep and swine	Used in treatment of Gastrointestinal and respiratory infections caused by Doxycycline and Neomycin sensitive micro-organisms like bordetella, E.coli, salmonella, Mycoplasma.	1g in 5L water 10g in 50L water 100g in 500L water
02.	ASHTYL 20%®	Tylosin 20% powder	100gms	Poultry, Calves and swine	A macrolide bacteriostatic antibiotic used in treatment of gastrointestinal and respiratory infections	2.5g per 1L water 50g per 20L water 100g per 40L water
03.	ASTRISUL 480®	Trimethoprim and Sulphadiazine powder	100gms	Poultry, Cattle, Sheep, Goats, dogs and cats	A broad spectrum efficacy against infections due to gram positive organisms. Used in treatment of scours	1g per 5L of water 10g per 50L water 100g per 500L water
04.	ASHOXY 20%®	Oxytetracycline HCL powder	100gms	Poultry, Cattle, Sheep, Goats and swine	A broad spectrum antibiotic for control and treatment of bacterial diseases	10g per 10L of water 100g per 100L water
05.	ASHOXY CHICK FORMULA®	Oxytetracycline HCL and Multivitamins	100gms	Poultry(chicks)	Prevents stress during vaccination, extreme heat and controls gastrointestinal infections	10g per 10L of water 100g per 100L water
06.	ASAMPRO 20%	Amprolium 20%	100gms	Poultry, sheep, calves and goats	A coccidiostat (antiprotozoal) used in the treatment and prevention of coccidiosis	10g per 10L water 100g per 100L water

07.	ASHIVITA®	Multivitamins and Minerals	100gms	Poultry,sheep,calves ,goats and swine	Essential vitamins and minerals enriched with amino acids to improve growth and productivity	10g per 10L water 100g per 100L water
08.	FOWL TYPHOID VACCINE	Inactivated Fowl typhoid vaccine	100 doses	Poultry	Vaccination of healthy birds against Fowl Typhoid	1 ml per bird(Intramuscular injection in the chest or thigh muscles)
09.	CEVAC GUMBO L VACCINE (Day 07)	LIBD strain of Infectious Bursal disease virus live freeze dried form	1000 doses	Poultry.	Vaccination of healthy birds against Infectious bursal disease(Gumboro)	7-12 days; 10L water 13-18 days; 15 L water 19-28 days; 25 L water
10.	CEVAC IBD L VACCINE (Day 14)	Live freeze dried vaccine, Winterfield 2512G-61 IBD virus strain.	1000 doses	Poultry	Vaccination of healthy birds against Infectious bursal disease(Gumboro)	7-12 days; 10L water 13-18 days; 15 L water 19-28 days; 25 L water
11.	MTK LAYER PREMIX	Multivitamins, Minerals and Amino acids	25kgs	Poultry (Layers)	High quality feed premix with all essential amino acids, vitamins and minerals needed to increase production in layers.	2.5kg per tone (1000kg) of feed.
12.	MTK GENERAL PREMIX	Multivitamins, minerals and Amino acids.	25kgs	Poultry (Broilers and Layers)	High quality feed premix with all essential amino acids, vitamins and minerals needed in poultry	2.5kg per tone (1000kg) of feed.



